

# ● PRINTER RUSH ●

(PTO ASSISTANCE)

Application : <u>10/790733</u>	Examiner : <u>TRAN</u>	GAU : <u>2819</u>
From: <u>TW</u>	Location: IDC FMF <u>FDC</u>	Date: <u>2-24-06</u>
Tracking #: <u>EPM</u>		Week Date: <u>2-19-05</u>

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449		<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS		<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM		<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW		<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW		<input type="checkbox"/> Other
<input checked="" type="checkbox"/> DRW	<u>3-3-04</u>	
<input type="checkbox"/> OATH		
<input type="checkbox"/> 312		
<input checked="" type="checkbox"/> SPEC	<u>3-3-04</u>	

**[RUSH] MESSAGE:**

On Page 4 of the 3-3-04 specification paragraphs 0019 and 0020 refer to Figures PB2 and PC2 but the Formal Drawings of 3-3-04 are not labeled this way. Is this a typo or should corrected drawings be submitted?

Please verify

Thank You  
Tai

**[XRUSH] RESPONSE:** Yes, this is a typo. The supplemental Amend. should resolve this problem.

**INITIALS:** AT

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.  
REV 10/04